

## Author Index

- Acs, G., Palkovits, M. and Blumberg, P.M.  
[<sup>3</sup>H]Resiniferatoxin binding by the human vanilloid (capsaicin) receptor (23) 185
- Ådén, U., Lindström, K., Bona, E., Hagberg, H. and Fredholm, B.B.  
Changes in adenosine receptors in the neonatal rat brain following hypoxic ischemia (23) 354
- Allen, J.M., see Balbi, D. (23) 310
- Bachelot, T., see Bal, A. (23) 204
- Bal, A., Bachelot, T., Savasta, M., Manier, M., Verna, J.M., Benabid, A.L. and Feuerstein, C.  
Evidence for dopamine D<sub>2</sub> receptor mRNA expression by striatal astrocytes in culture: in situ hybridization and polymerase chain reaction studies (23) 204
- Balbi, D. and Allen, J.M.  
Role of protein kinase C in mediating NGF effect on neuropeptide Y expression in PC12 cells (23) 310
- Benabid, A.L., see Bal, A. (23) 204
- Bengzon, J., see Kokaia, M. (23) 323
- Bettini, E., Porta, A.R., Dahmen, N., Wang, H. and Margolis, F.L.  
Expressed sequence tags (EST) identify genes preferentially expressed in catfish chemosensory tissues (23) 285
- Black, J.A., Yokoyama, S., Waxman, S.G., Oh, Y., Zur, K.B., Sontheimer, H., Higashida, H. and Ransom, B.R.  
Sodium channel mRNAs in cultured spinal cord astrocytes: in situ hybridization in identified cell types (23) 235
- Black, J.A., see Oh, Y. (23) 57
- Blanco, E., see Skutella, T. (23) 179
- Bloch, B., see Jaber, M. (23) 14
- Blumberg, P.M., see Acs, G. (23) 185
- Boddeke, H.W.G.M., see Buttini, M. (23) 126
- Bogerd, J., Li, K.W., Jiménez, C.R., Van der Schors, R.C., Ebberink, R.H.M. and Geraerts, W.P.M.  
Processing, axonal transport and cardioregulatory functions of peptides derived from two related prohormones generated by alternative splicing of a single gene in identified neurons VD1 and RPD2 of *Lymnaea* (23) 66
- Bolwig, T.G., see Mikkelsen, J.D. (23) 317
- Bona, E., see Ådén, U. (23) 354
- Bravo, R., see Gass, P. (23) 292
- Bravo, R., see MacGibbon, G.A. (23) 21
- Bronstein, D.M., Ye, H., Pennypacker, K.R., Hudson, P.M. and Hong, J.-S.  
Role of a 35 kDa fos-related antigen (FRA) in the long-term induction of striatal dynorphin expression in the 6-hydroxydopamine lesioned rat (23) 191
- Buttini, M., Sauter, A. and Boddeke, H.W.G.M.  
Induction of interleukin-1 $\beta$  mRNA after focal cerebral ischaemia in the rat (23) 126
- Cannon, M.M., see Peña de Ortiz, S. (23) 277
- Chang, S., see Mack, K.J. (23) 73
- Chiu, S.-Y., see Mack, K.J. (23) 73
- Cox, H., see Kishimoto, J. (23) 33
- Curran, G.L., see Poduslo, J.F. (23) 157
- Dahmen, N., see Bettini, E. (23) 285
- Dal Toso, R., see Zanellato, A. (23) 299
- Donaldson, L.F., see Olsson, T. (23) 349
- Dragunow, M., see MacGibbon, G.A. (23) 21
- Ebberink, R.H.M., see Bogerd, J. (23) 66
- Eggen, B.J.L., Nielander, H.B., Rensende Leeuw, M.G.A., Schotman, P., Gispen, W.H. and Schrama, L.H.  
Identification of two promoter regions in the rat B-50/GAP-43 gene (23) 221
- Elmér, E., see Kokaia, M. (23) 323
- Emson, P.C., see Kishimoto, J. (23) 33
- Engel, J.D., see Kornhauser, J.M. (23) 100
- Facci, L., see Zanellato, A. (23) 299
- Feuerstein, C., see Bal, A. (23) 204
- Fournier, M.C., see Jaber, M. (23) 14
- Fredholm, B.B., see Ådén, U. (23) 354
- Fritschy, J.-M., see Kokaia, M. (23) 323
- Gannon, R.L. and Rea, M.A.  
In situ hybridization of antisense mRNA oligonucleotides for AMPA, NMDA and metabotropic glutamate receptor subtypes in the rat suprachiasmatic nucleus at different phases of the circadian cycle (23) 338
- Garey, L.J., see Ong, W.Y. (23) 151
- Gass, P., Herdegen, T., Bravo, R. and Kiessling, M.  
High induction threshold for transcription factor KROX-20 in the rat brain: partial co-expression with heat shock protein 70 following limbic seizures (23) 292
- Geraerts, W.P.M., see Bogerd, J. (23) 66
- Giagnoni, G., see Rubino, T. (23) 333
- Gispen, W.H., see Eggen, B.J.L. (23) 221
- Gonzalez, A.M. and Uhl, G.R.  
'Choline/orphan V8-2-1/creatine transporter' mRNA is expressed in nervous, renal and gastrointestinal systems (23) 266
- Goto, K., Iwamoto, T. and Kondo, H.  
Localization of mRNAs for calpain and calpastatin in the adult rat brain by in situ hybridization histochemistry (23) 40
- Gwag, B.J., see Springer, J.E. (23) 135
- Hagberg, H., see Ådén, U. (23) 354
- Henriksson, B.G., see Olsson, T. (23) 349
- Herdegen, T., see Gass, P. (23) 292
- Higashida, H., see Black, J.A. (23) 235
- Hong, J.-S., see Bronstein, D.M. (23) 191
- Howells, R.D., see Tirumalai, P.S. (23) 144
- Hudson, P.M., see Bronstein, D.M. (23) 191
- Ingenito, A.J., see Wang, J.Q. (23) 345
- Iwamoto, T., see Goto, K. (23) 40
- Jaber, M., Tison, F., Fournier, M.C. and Bloch, B.  
Differential influence of haloperidol and sulpiride on dopamine receptors and peptide mRNA levels in the rat striatum and pituitary (23) 14
- Jamieson Jr., G.A., see Peña de Ortiz, S. (23) 277
- Janavs, J.L., Pierce, M.E. and Takahashi, J.S.  
RNA synthesis inhibitors increase melatonin production in Y79 human retinoblastoma cells (23) 47
- Jayaraman, A., see Kiba, H. (23) 1
- Jiménez, C.R., see Bogerd, J. (23) 66
- Jirikowski, G.F., see Skutella, T. (23) 179
- Kawai, Y., see Umemoto, S. (23) 93
- Kent, C., see McKinney, M. (23) 213
- Keverne, E.B., see Kishimoto, J. (23) 33
- Kiba, H. and Jayaraman, A.  
Nicotine induced *c-fos* expression in the striatum is mediated mostly by dopamine D<sub>1</sub> receptor and is dependent on NMDA stimulation (23) 1
- Kiessling, M., see Gass, P. (23) 292
- Kishimoto, J., Cox, H., Keverne, E.B. and Emson, P.C.  
Cellular localization of putative odorant receptor mRNAs in olfactory and chemosensory neurons: a non radioactive in situ hybridization study (23) 33
- Kokaia, M., Pratt, G.D., Elmér, E., Bengzon, J., Fritschy, J.-M., Kokaia, Z., Lindvall, O. and Mohler, H.  
Biphasic differential changes of GABA<sub>A</sub> receptor subunit mRNA levels in dentate

- gyrus granule cells following recurrent kindling-induced seizures (23) 323
- Kokaia, Z., see Kokaia, M. (23) 323
- Kondo, H., see Goto, K. (23) 40
- Kornhauser, J.M., Leonard, M.W., Yamamoto, M., LaVail, J.H., Mayo, K.E. and Engel, J.D.  
Temporal and spatial changes in GATA transcription factor expression are coincident with development of the chicken optic tectum (23) 100
- Kragh, J., see Mikkelsen, J.D. (23) 317
- Kriegler, S., see Mack, K.J. (23) 73
- Larsen, P.J., see Mikkelsen, J.D. (23) 317
- LaVail, J.H., see Kornhauser, J.M. (23) 100
- Lawlor, P.A., see MacGibbon, G.A. (23) 21
- Leonard, M.W., see Kornhauser, J.M. (23) 100
- Li, K.W., see Bogerd, J. (23) 66
- Li, S., see Wang, J.Q. (23) 345
- Lindström, K., see Ådén, U. (23) 354
- Lindvall, O., see Kokaia, M. (23) 323
- MacGibbon, G.A., Lawlor, P.A., Bravo, R. and Dragunow, M.  
Clozapine and haloperidol produce a differential pattern of immediate early gene expression in rat caudate-putamen, nucleus accumbens, lateral septum and islands of Calleja (23) 21
- Mack, K.J., Kriegler, S., Chang, S. and Chiu, S.-Y.  
Transcription factor expression is induced by axonal stimulation and glutamate in the glia of the developing optic nerve (23) 73
- Manier, M., see Bal, A. (23) 204
- Margolis, F.L., see Bettini, E. (23) 285
- Massi, P., see Rubino, T. (23) 333
- Mayo, K.E., see Kornhauser, J.M. (23) 100
- McGinty, J.F., see Wang, J.Q. (23) 345
- McKinney, M. and Kent, C.  
Differential expression of GAP-43 mRNA in adult central cholinergic neuronal populations (23) 213
- McKinney, M., see Sugaya, K. (23) 111
- Mengod, G., see Pompeiano, M. (23) 163
- Merchant, K.M. and Miller, M.A.  
Coexpression of neurotensin and *c-fos* mRNAs in rat neostriatal neurons following acute haloperidol (23) 270
- Mhatre, M. and Ticku, M.K.  
Chronic ethanol treatment upregulates the GABA receptor  $\beta$  subunit expression (23) 246
- Mikkelsen, J.D., Woldbye, D., Kragh, J., Larsen, P.J. and Bolwig, T.G.  
Electroconvulsive shocks increase the expression of neuropeptide Y (NPY) mRNA in the piriform cortex and the dentate gyrus (23) 317
- Miller, M.A., see Merchant, K.M. (23) 270
- Mohammed, A.H., see Olsson, T. (23) 349
- Mohler, H., see Kokaia, M. (23) 323
- Nappey, V., see Quirin-Stricker, C. (23) 253
- Nieler, H.B., see Eggen, B.J.L. (23) 221
- Noguchi, K., see Umemoto, S. (23) 93
- Oh, Y., Black, J.A. and Waxman, S.G.  
The expression of rat brain voltage-sensitive  $\text{Na}^+$  channel mRNAs in astrocytes (23) 57
- Oh, Y., see Black, J.A. (23) 235
- Olsson, T., Mohammed, A.H., Donaldson, L.F., Henriksson, B.G. and Seckl, J.R.  
Glucocorticoid receptor and NGFI-A gene expression are induced in the hippocampus after environmental enrichment in adult rats (23) 349
- Ong, W.Y., Garey, L.J. and Sumi, Y.  
Distribution of preprosomatostatin mRNA in the rat parietal and temporal cortex (23) 151
- Palacios, J.M., see Pompeiano, M. (23) 163
- Palkovits, M., see Acs, G. (23) 185
- Parolaro, D., see Rubino, T. (23) 333
- Patrini, G., see Rubino, T. (23) 333
- Peña de Ortiz, S., Cannon, M.M. and Jamieson Jr., G.A.  
Expression of nuclear hormone receptors within the rat hippocampus: identification of novel orphan receptors (23) 277
- Pennypacker, K.R., see Bronstein, D.M. (23) 191
- Petrelli, L., see Zanellato, A. (23) 299
- Pierce, M.E., see Janavs, J.L. (23) 47
- Poduslo, J.F. and Curran, G.L.  
Glycation increases the permeability of proteins across the blood-nerve and blood-brain barriers (23) 157
- Pompeiano, M., Palacios, J.M. and Mengod, G.  
Distribution of the serotonin 5-HT<sub>2</sub> receptor family mRNAs: comparison between 5-HT<sub>2A</sub> and 5-HT<sub>2C</sub> receptors (23) 163
- Porta, A.R., see Bettini, E. (23) 285
- Pratt, G.D., see Kokaia, M. (23) 323
- Probst, J.C., see Skutella, T. (23) 179
- Quirin-Stricker, C., Nappey, V., Simoni, P., Toussaint, J.L. and Schmitt, M.  
*Trans*-activation by thyroid hormone receptors of the 5' flanking region of the human ChAT gene (23) 253
- Ransom, B.R., see Black, J.A. (23) 235
- Rea, M.A., see Gannon, R.L. (23) 338
- Rensen-de Leeuw, M.G.A., see Eggen, B.J.L. (23) 221
- Roebroek, A.J.M., see Van de Velde, H.J.K. (23) 81
- Rubino, T., Massi, P., Patrini, G., Venier, I., Giagnoni, G. and Parolaro, D.  
Effect of chronic exposure to naltrexone and opioid selective agonists on G protein mRNA levels in the rat nervous system (23) 333
- Sauter, A., see Buttini, M. (23) 126
- Savasta, M., see Bal, A. (23) 204
- Schmitt, M., see Quirin-Stricker, C. (23) 253
- Schotman, P., see Eggen, B.J.L. (23) 221
- Schrama, L.H., see Eggen, B.J.L. (23) 221
- Seckl, J.R., see Olsson, T. (23) 349
- Senba, E., see Umemoto, S. (23) 93
- Sessler, F.M., see Springer, J.E. (23) 135
- Simoni, P., see Quirin-Stricker, C. (23) 253
- Skaper, S.D., see Zanellato, A. (23) 299
- Skutella, T., Probst, J.C., Blanco, E. and Jirikowski, G.F.  
Localization of tyrosine hydroxylase mRNA in the axons of the hypothalamo-neurohypophyseal system (23) 179
- Sontheimer, H., see Black, J.A. (23) 235
- Springer, J.E., Gwag, B.J. and Sessler, F.M.  
Neurotrophic factor mRNA expression in dentate gyrus is increased following in vivo stimulation of the angular bundle (23) 135
- Sugaya, K. and McKinney, M.  
Nitric oxide synthase gene expression in cholinergic neurons in the rat brain examined by combined immunocytochemistry and in situ hybridization histochemistry (23) 111
- Sumi, Y., see Ong, W.Y. (23) 151
- Takahashi, J.S., see Janavs, J.L. (23) 47
- Ticku, M.K., see Mhatre, M. (23) 246
- Tirumalai, P.S. and Howells, R.D.  
Regulation of calbindin-D<sub>28K</sub> gene expression in response to acute and chronic morphine administration (23) 144
- Tison, F., see Jaber, M. (23) 14
- Toussaint, J.L., see Quirin-Stricker, C. (23) 253
- Uhl, G.R., see Gonzalez, A.M. (23) 266
- Umemoto, S., Noguchi, K., Kawai, Y. and Senba, E.  
The expression of neuropeptides and their mRNAs in the trigeminal mesencephalic nucleus following masseteric nerve transection (23) 93
- Van der Schors, R.C., see Bogerd, J. (23) 66
- Van de Velde, H.J.K., Roebroek, A.J.M., Van Leeuwen, F.W. and Van de Ven, W.J.M.  
Molecular analysis of expression in rat brain of NSP-A, a novel neuroendocrine-specific protein of the endoplasmic reticulum (23) 81
- Van de Ven, W.J.M., see Van de Velde, H.J.K. (23) 81
- Van Leeuwen, F.W., see Van de Velde, H.J.K. (23) 81
- Venier, I., see Rubino, T. (23) 333
- Verna, J.M., see Bal, A. (23) 204
- Wang, H., see Bettini, E. (23) 285
- Wang, J.Q., Li, S., Ingenito, A.J. and McGinty, J.F.  
A Deficit in preprodynorphin mRNA expression in hippocampus of spontaneously hypertensive rats (23) 345
- Waxman, S.G., see Black, J.A. (23) 235
- Waxman, S.G., see Oh, Y. (23) 57
- Woldbye, D., see Mikkelsen, J.D. (23) 317
- Yamamoto, M., see Kornhauser, J.M. (23) 100
- Ye, H., see Bronstein, D.M. (23) 191
- Yokoyama, S., see Black, J.A. (23) 235
- Zanellato, A., Facci, L., Petrelli, L., Dal Toso, R. and Skaper, S.D.  
Characterization and growth-dependent regulation of the nerve growth factor receptor gp140<sup>trk</sup> in rat C6 glioma cells (23) 299
- Zur, K.B., see Black, J.A. (23) 235

